

WEIHONG 维宏®

山东维宏机械有限公司

电话: +86-546-3655909

传真: +86-546-3656166

邮箱: ask@weihong.cc

网站: www.weihong.cc

地址: 东营市河口区河雁路工业园6号

SHANDONG WEIHONG MACHINERY CO.,LTD

Tel: +86-546-3655909

Fax: +86-546-3656166

Email: ask@weihong.cc

Web: www.weihong.cc

Add: No.6 HeYan Road Hekou District,
Dongying, Shangdong . China

WEIHONG 维宏®

山东维宏机械有限公司

SHANDONG WEIHONG MACHINERY CO.,LTD



山东维宏机械有限公司 ∨

成立于 1998 年，地处胜利油田腹地 - 山东东营。专业从事建筑保温设备、工业保温设备和植物床垫设备的研发生产，填补了国内和国际市场的技术空白。公司主要产品：矿物纤维毯（毡）缝制机、矿棉保温板缝制机、棕床垫缝制机、羊毛床垫缝制机、植物垫缝制机。

经过二十年技术沉淀和不断发展与创新，拥有一套先进的生产技术和完善的质量保障体系。对缝织与平缝技术的不断融合和创新，使应用行业不断拓展，从建筑保温、工业保温、到崇尚自然环保的棕、羊毛床垫，继续引领行业巅峰和创造奇迹。

创新发展是使命，诚信服务为前提；技术一流是承诺，质量过硬是根本。经过公司全员的不懈努力，产品远销哈萨克斯坦、塔吉克斯坦、缅甸、俄罗斯、比利时、加拿大等多个国家和地区，深受客户青睐！

COMPANY PROFILE

企业简介

SHANDONG WEIHONG MACHINERY CO.,LTD ∨

Shandong Weihong Machinery Ltd. is established in 1998, and is located in the center of Shengli Oilfield--Dongying city. It is specialized in research and development of the construction insulating equipment, industrial insulating equipment and the plant mattress equipment, which fills in the research gaps of our country and the counties all over the world. The main products of our company: Mineral fibre blanket sewing machine, mineral wool insulating board sewing machine, palm mattress sewing machine and plant mattress sewing machine.

By more than 20 years' development and innovation, now we have a total advanced and perfect quality guarantee system. Through continual innovation of sewing and flat seam technology, we have made the application area much wider. From constructional insulation, industrial insulation to the environmental friendly palm and woolen mattress, we continue make miracle and lead all this trade.

By the hard-working of all the fellows in our company, our products are sold to many countries such as Kazakhstan, Tajikistan, Myanmar, Russia, Belgium and Canada etc. And our products are very popular in these countries!

CONTENT

产品目录

全自动矿棉板缝制机

- ◆ 产品介绍 / PRODUCT INTRODUCTION.....P / 03
- ◆ 产品展示 / PRODUCT SHOW.....P / 04
- ◆ 生产展示 / PRODUCTION DISPLAY.....P / 05
- ◆ 产品参数 / SPECIFICATIONP / 06

全自动矿物纤维毯（毡）缝制机

- ◆ 产品介绍 / PRODUCT INTRODUCTION.....P / 07
- ◆ 产品展示 / PRODUCT SHOW.....P / 08
- ◆ 生产展示 / PRODUCTION DISPLAY.....P / 09
- ◆ 产品参数 / SPECIFICATIONP / 10



PRODUCT INTRODUCTION

产品介绍



全自动矿棉板缝制机

性能特点

全自动矿棉板缝制机，适用于矿棉、玻璃棉、岩棉的缝制、成型生产。缝制后的矿棉应用到石油、化工、工业、冶金、建筑等行业的保温隔热系统。

- 该设备由上料、输送、缝制、输出、切割成型，全自动生产一体化设计
- 适用于不同尺寸与厚度要求的多功能设备和单一产品要求的定制型产品
- 该设备在效率上有相对明显的优势，每小时可生产100-400米，根据厚度和材料的不同调整速度

Automatic Mineral Wool Board Sewing Machine

Features

Automatic mineral wool board sewing machine can be used for the sewing process and the take shape process of mineral wool, glass wool and rock wool. The products can be used for the thermal insulation system in the area of oilfield, chemical engineering, industrial area, metallurgy and building field.

- The equipment is made up of load material, transport, tailor, output and cutting forming process, which is a fully automatic production integration design
- It is suitable for multifunctional equipment with different size and thickness requirement, and is also suitable for customized products with single requirements
- This machine has its big advantage in efficiency, it can product 100-400 meters each hour, and can adjust the speed by the different density and material

产品展示 / PRODUCT SHOW



生产展示 / PRODUCTION DISPLAY

- 机器设计合理、操作简单、生产厚度和速度任意调整
- This machine is equipped with good design and simple operation, and the production density and speed can be adjusted as you like



- 适应各种软硬质地和不同厚度材料的生产
- This machine is suitable for all kinds of material with different hardness and density.



- 缝制的矿棉产品，可增强整体性能和拉拔强度
- The whole performance and the tensile strength of the products can be improved by this machine



设备规格参数

型号	0608Z	0612Z	0616Z	1208Z	1212Z	1216Z
缝制宽度	600mm			1200mm		
缝制厚度	5-80mm	50-120mm	80-160mm	5-80mm	50-120mm	80-160mm
缝制速度	100-400m/h					
动力功率	主动力	3.0KW	4.0KW	3.0KW	4.0KW	
	切割动力	1.5KW				
针距	50mm					
针数	12			24		
控制方式	自动 / 手动					
线绳	棉线、化纤线、玻纤线、玄武线、金属铁丝等					

Specification Parameter of the Equipment

Model	0608Z	0612Z	0616Z	1208Z	1212Z	1216Z
Sewing Width	600mm			1200mm		
Sewing Thickness	5-80mm	50-120mm	80-160mm	5-80mm	50-120mm	80-160mm
Sewing Speed	100-400m/h					
Power Configuration	Principal Machine	3.0KW	4.0KW	3.0KW	4.0KW	
	Cutting	1.5KW				
Space of Stitching	50mm					
Number of Stitching	12			24		
Control	Automatic/ Semi-automatic					
Rope	Cotton, Chemical fiber, Class fiber, Basaltic, Metal wire and so on					

PRODUCT INTRODUCTION

产品介绍



全自动矿物纤维毯（毡）缝制机

性能特点

全自动矿物纤维毯（毡）缝制机，适用于矿物纤维材料的毯、毡的缝制、成型生产。缝制后的矿物纤维应用到航空、轮船、陶瓷、核电、冶金等行业的保温隔热系统。

- 该生产线有铺毯、输送、缝制、输出、切割成型机构组成，全程自动化生产
- 具有多种生产模式，自动缝制成型、自动切块成型、尺寸与厚度要求大的多功能模式
- 生产效率：3.6~300m/h，可根据厚度和材料的不同调整速度


Automatic Mineral Fibre Blanket Sewing Machine

Features

Automatic mineral fibre blanket sewing machine can be used for the sewing process and the take shape process of blankets made of mineral fibre material. And the products can be used as thermal insulation system in aviation, ship, ceramic, nuclear power, metallurgy and other industries.


- The equipment is made up of paving blanket, transport, tailor, output and cutting forming process, which is a fully automatic production integration design
- This machine has different production models, and such multifunction modes as: automatic sewing forming, automatically cut into shape and the requirements of big size and density
- This machine can product 3.6-300 meters each hour, and can adjust the speed by the different density and material

产品展示 / PRODUCT SHOW



生产展示 / PRODUCTION DISPLAY

- 全自动生产设计、操作非常简单、生产厚度和速度任意调整
- This machine is equipped with automatic production design and simple operation, and production density and the speed can be adjusted as you like



- 适应大厚度纤维棉材料的生产，生产精度高，成型组块尺寸误差小
- This machine is suitable for production of cellulocotton with big density. It has a big production accuracy and the dimension error is small



- 缝制的陶瓷纤维组块，节省人工、效率高
- The ceramic fiber block producers by this machine can save a lot of manpower and with big efficiency



设备规格参数

型号	0608Z	0620Z	0630Z	1208Z	1220Z	1230Z
缝制宽度	600mm			1200mm		
缝制厚度	≤ 80mm	≥ 100mm	≥ 150mm	≤ 80mm	≥ 100mm	≥ 150mm
缝制速度	50mm/ 线步 ≥ 200m/h ≥ 120m ² /h	20mm/ 线步 ≥ 18m/h ≥ 10.8 m ² /h ≥ 120 块/h	20mm/ 线步 ≥ 12m/h ≥ 7.2 m ² /h ≥ 80 块/h	50mm/ 线步 ≥ 200m/h ≥ 240 m ² /h	20mm/ 线步 ≥ 18m /h ≥ 21.6 m ² /h ≥ 240 块/h	20mm/ 线步 ≥ 12m/h ≥ 14.4 m ² /h ≥ 160 块
动力功率	主动力	3.0KW	2.0+2.3+1.0=5.3 KW	3.0KW	2.0+2.3+1.0=5.3 KW	
	切割动力	1.5KW	2.2 KW	1.5KW	2.2 KW	
针距	50mm					
针数	12			24		
控制方式	自动 / 手动					
线绳	棉线、化纤线、玻纤线、玄武线、金属铁丝等					

Specification Parameter of the Equipment

Model	0608Z	0620Z	0630Z	1208Z	1220Z	1230Z
Sewing Width	600mm			1200mm		
Sewing Thickness	≤80mm	≥100mm	≥150mm	≤80mm	≥100mm	≥150mm
Sewing Speed	50mm/Stitch ≥200m/h ≥120m ² /h	20mm/Stitch ≥18m/h ≥10.8m ² /h ≥120 block /h	20mm/Stitch ≥12m/h ≥7.2m ² /h ≥80 block /h	50mm/Stitch ≥200m/h ≥240m ² /h	20mm/Stitch ≥18m /h ≥21.6m ² /h ≥240 block /h	20mm/Stitch ≥12m/h ≥14.4m ² /h ≥160 block /h
Power	Principal Machine	3.0KW	2.0+2.3+1.0=5.3 KW	3.0KW	2.0+2.3+1.0=5.3 KW	
	Cutting	1.5KW	2.2 KW	1.5KW	2.2 KW	
Space of Stitching	50mm					
Number of Stitching	12			24		
Control	Automatic/ Semi-automatic					
Rope	Cotton, Chemical fiber, Class fiber, Basaltic, Metal wire and so on					